

Coverall[®]

Face Shields



Dedicated to the protection of
people, products and environments[™]

AlphaProTech
INCORPORATED

Coverall® Face Shields



2807
Full Face Shield
with Comfort Band



2808
Half Face Shield
with Comfort Band

Total Facial Splash Protection for . . .

- Industrial
- Laboratory
- General Safety
- Healthcare
- Dental
- Wherever protection from splashing or splatter is required

Coverall Face Shields protect sensitive facial skin and the mucous membrane of the eyes, nose and mouth. The foam headband fits snugly against the forehead, eliminating concerns about splashes coming over the top of the shield.

Coverall Face Shields feature anti-fog treatment on BOTH SIDES virtually eliminating fogging. Designed to provide good air flow around the eyes, Coverall Face

The Clear Benefits of Total Facial Splash Protection

- Double sided anti-fog virtually eliminates fogging
- Foam headband for protection and comfort
- Lightweight 7 mil for ultimate comfort
- Fast, easy to don
- Non-distorting, transparent shield; excellent peripheral vision and protection


Shields also help eliminate fogging of prescription and safety glasses. Best of all, Coverall Shields are quick and easy to don. Select either the adjustable Velcro® band or the comfort stretch band.

Full and half size face shields are available with the Coverall line.

Full Face Shields

2802
Velcro Adjustable Band
100/case
(4 boxes of 25)

2807
Comfort Band
100/case
(4 boxes of 25)




Dimensions - Full Face Shields

Width (A)	12 3/4"
Height (B)	8 5/8"

Half Face Shields

2803
Velcro Adjustable Band
100/case
(4 boxes of 25)

2808
Comfort Band
100/case
(4 boxes of 25)



Dimensions - Half Face Shields

Width (A)	12 3/4"
Height (B)	5 5/8"

Testing

Performance	Standard Applied	Results
	Synthetic Blood Penetration per ASTM F1670	Pass
	Melting Point	500° F (260° C)

Packaging Perfection



- All face shields are individually bagged, packed 25/dispenser box, 4 boxes/case
- Two corner case labels allow product identification from all sides

WARNING: These garments and associated materials are not suitable for use in some environments containing certain chemicals and/or hazardous agents. It is the responsibility of the user to determine the level of risk in a particular environment and the proper personal protection equipment needed. Garments manufactured from synthetic non-woven material may generate static electricity. Garments that contain an anti-stat treatment are not intended to be used as a safety feature. These garments are not recommended to be used in a flammable and/or explosive environment. If you have any questions, contact your distributor or Alpha Pro Tech for garment/fabric safety data. The use of this product is out of Alpha Pro Tech's control. Therefore, Alpha Pro Tech makes no warranties, expressed or implied, and assumes no liability as to the performance of these products for a particular use. **CAUTION: AVOID HEAT AND/OR OPEN FLAME.**

UCC Limited Warranty and Exclusions

Limited Warranty; Disclaimer and Limitation of Remedies: The products shall be free from defects in material and workmanship. ALPHA PRO TECH HEREBY EXPRESSLY DISCLAIMS ALL WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyer's remedy is expressly limited to replacement of any defective product and Alpha Pro Tech shall have no responsibility for any incidental or consequential damages. Any claims under this warranty must be made in writing to Alpha Pro Tech and must be made with 90 days of the purchase.

Alpha Pro Tech, Inc. reserves the right to change any prices, terms and conditions of sale at any time without any notice.



Coverall is a registered trademark of Alpha Pro Tech, Inc.
Velcro is a trademark of Velcro Industries B.V.

**Alpha Pro Tech is committed to protecting people,
products, manufacturing and healthcare environments to
optimize process effectiveness and customer profitability.**

Ordering Information: To place an order, receive a sample or obtain more information, please
contact our Customer Service Department toll-free from
9:00 a.m. to 5:00 p.m. Eastern Time at:

Phone: 800-749-1363

Fax: 905-479-8703

E-mail: sales@alphaprotech.com

International customers please use the following contact information:

Phone: 520-281-0127 Ext. 201

Fax: 520-281-0235

E-mail: ccrespo@alphaprotech.com

Visit us at: www.alphaprotech.com

AlphaProTech
I N C O R P O R A T E D